



Professional PC Labelling Machine

Desktop labelling machine with PC connection and label design software.

- Prints 6, 9, 12, 18mm labels
- Large, high resolution graphic display with backlight
- Wide PC style keyboard
- Large print height
- Built-in editable label designs for common labelling applications



“With a large, high resolution backlit screen and built-in label templates I can quickly produce durable, easy-to-read labels using the wide easy-to-type keyboard, or design creative labels on my PC or Mac.”



P-touch
D450

The fully featured labeller with PC connection

The P-touch D450 creates durable fade-proof labels by using the easy-to-use integrated labelling functions, or directly from your PC or Mac thanks to the fully-featured P-touch Editor label design software.

Using the built-in label design functions, the large easy-to-read backlit display and wide PC-style keyboard makes it easy to quickly produce your labels in various colour and size combinations.

Connect to your PC or Mac and be creative by using various fonts, text styles, images and frames on your label design. You can even link to text contained in a Microsoft Excel spreadsheet to quickly print many labels at once, thanks to its high-speed print capabilities.

This high specification labeller is the ideal partner in your office to help you and your colleagues stay organised.



Print labels 6mm – 18mm in width

Graphic display with print preview

14 fonts ; 99 frames – Over 600 symbols

Built-in editable label designs

Easy-to-type PC-style keyboard

Prints labels from your PC or Mac

Built-in barcode printing

Uses 6 x AA batteries* or included AC adapter

* Batteries not included.

P-Touch Laminated Labels – Designed To Last

Brother P-touch laminated TZe tapes consist of seven layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant



Easy Peel



Strong Adhesion

Clearly identify items with a durable P-touch label

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels. Common examples include:

- Cables and plugs
- CD's and DVD's
- USB flash drives
- Office equipment
- File folders
- Filing cabinets
- Mail rooms
- Staff and visitor name badges
- Signage
- Notice boards
- Shelving
- Telephone extension numbers



PT-D450

In the box

PT-D450 labelling machine
18mm black on white tape cassette (4m)
AC adapter
USB cable
User guide

Main features

Display type	20 chrs x 3 lines graphic LCD with print preview
PC interface	Windows: USB 1.1 / 2.0 / 3.0 ; Mac: USB 1.1 / 2.0
Print speed	20mm / second
Maximum tape width	18mm
Maximum print height	15.8mm
Cutter type	Manual
Battery type	6 x AA alkaline/rechargeable batteries (Batteries not included)

Label Creation

Fonts	14 fonts ; 11 styles; 6 to 42 point size
Max. lines per label	5
Max. text blocks	5
Symbols	617
Frames	99
Barcodes	9 protocols
Automatic numbering	1-9
Copy printing	1-9
Vertical text printing	Yes (standard and bold)
Pre-set formats	18 templates
Easy-print graphic label function	25 pre-designed labels
Download labels from internet	Yes
Cable marking function	Yes

Memory

Max. characters per label	280
Label memory locations	50 (Maximum of 2,800 characters in total across all locations)

PC Software

Supported operating systems	Windows Vista® Windows® 7 Windows® 8 Mac OS X 10.7 - 10.9
Cable labelling wizard	Yes
Font faces	All installed true-type fonts
Font styles	12
Image import	JPG, BMP, TIFF and other popular types
Screen capture	Yes
Frames	154
Barcodes	21 protocols including 1D/2D barcodes
Database connection support (Windows only)	Microsoft Excel, csv, mdb, txt

Visit <http://support.brother.com> for latest software and drivers

General

Supplies	
Tape type ; Tape widths	TZe tape cassettes ; 6, 9, 12, 18mm
Optional accessories	
AC adapter	AD-E001 AC adapter
Weights & Dimensions	
PT-D450	188mm(w) x 177mm(h) x 740g

Label images shown are for illustrative purposes only and some aspects may not be reproducible on this model. Product specifications may be subject to change. E&OE

P-touch

TZe TAPE



www.brother.co.za
<http://solutions.brother.com>

brother
at your side

Brother International South Africa
96 Sovereign Drive, Route 21 Corporate Park, Irene
Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Brother
Earth
Working with you for a better environment
www.brotherearth.com



Japanese Excellence
For Over 100 Years